

BUILDING PERMIT APPLICATION SINGLE FAMILY DWELLING UNITS

Applications by appointment only

Application Date:	Lot:	Block:
PROJECT INFORMATION		Page 1 of 3

Project Address:	Dev. Permit No.:
Type of Work Proposed:	

REGISTERED OWNER(S) OF THE PROPERTY
--

Name:		
Address:	Postal Code:	
Phone No.:	Cell No.:	Email:

APPLICANT'S NAME <i>(if different than registered owner, submit a Letter of Authorization)</i>

Company Name:		
Contact Person:		
Address:		
Phone No.:	Cell No.:	Email:

CONTRACTOR

Company Name:		
Contractor's Name:		
Address:		Postal Code:
Phone No.:	Cell No.:	Email:

ARCHITECT OR DESIGNER

Company Name:		
Architect or Designer's Name:		
Address:		
Phone No.:	Cell No.:	Email:

ACKNOWLEDGEMENT OF INFORMATION

By signing this application form, the applicant/owner states that the information provided in this application and supplemental documentation submitted in support of the issuance of the Building Permit by University Endowment Lands (UEL) is true and correct. Any material falsehood or omission of any material fact with respect to the application made by the Owner/Agent may result in an issued Building Permit becoming null and void. Drawing plans and supporting documents submitted as part of this application become the property of the UEL.

Signature of Owner/Agent

Date

Personal information contained on this form is collected by the University Endowment Lands under Section 27(2) of the Freedom of Information and Protection of Privacy Act and will be used for the purpose of processing your permit application. If you have any questions about the collection, use or disclosure of this information, please contact the Deputy Manager at 5495 Chancellor Boulevard, Vancouver, BC or call (604) 660-1808.

BUILDING PERMIT APPLICATION REQUIREMENTS SINGLE FAMILY DWELLING UNITS

Project Address:

**Building Permit application will be accepted only from the owner or the owner's authorized agent.
Applications that do not provide the following information will not be accepted.**

DOCUMENTS REQUIRED		Page 2 of 3
# of Copies	Documents	Submitted
1	Building Permit Application completed by the owner or authorized agent.	<input type="checkbox"/>
1	Title Search from the Land Title Office for proof of property ownership or Certificate of Title from BC Online. Documents must be no more than 60 days old, complete with copies of all covenants, easements, rights of way, and any other encumbrances.	<input type="checkbox"/>
1	Letter of Authorization if the applicant/agent is not the property owner. (Refer to the Letter of Authorization, form included).	<input type="checkbox"/>
1	HPO Registration Form which specifies owner builder/contractor (registration number required) or Owner Building Declaration .	<input type="checkbox"/>
1	Letter of Confirmation signed by the applicant, that the proposed Building Permit plans are consistent with the approved Development Permit plans. (Refer to the Letter of Confirmation, form included).	<input type="checkbox"/>
1	Project Registry of Registered Professionals (RPs) retained who have submitted Letters of Assurance that is signed by the applicant. (Refer to the Project Registry of Registered Professional (RPs), form included).	<input type="checkbox"/>
	Letters of Assurance from the applicable registered professionals of record.	<input type="checkbox"/>
1	Project Cost Breakdown. Include fees of all Registered and/or Design Professionals.	<input type="checkbox"/>
1	Plumbing Fixture Count. (Refer to the Plumbing Fixture Count For Plumbing Permit Fee Calculation, form included).	<input type="checkbox"/>
1	Hazardous Materials Reporting (HazMat survey). (Refer to the Hazardous Material Reporting, bulletin included).	<input type="checkbox"/>
1	Section 9.36 Energy Efficiency Requirements effective December 19, 2014, applications for building permits must show compliance with new requirements to the BC Building Code for energy efficiency of residential dwelling units. (Refer to the 2012 BC Building Code Part 9.36 Energy Efficiency Requirements, form included).	<input type="checkbox"/>
1	Section 9.32 Ventilation Requirements effective December 19, 2014, applications for building permits must show compliance with new requirements to the BC Building Code for ventilation of residential dwelling units. Submit Ventilation Checklist 1 through 4 from the Thermal Environmental Comfort Association (TECA).	<input type="checkbox"/>

BUILDING PERMIT APPLICATION REQUIREMENTS SINGLE FAMILY DWELLING UNITS

DRAWINGS REQUIRED			Page 3 of 3
#of Copies	Drawings	Maximum sheet size	Submitted
2	<p>Survey Plan</p> <p>BC Land Surveyor Plan certified by BCLS noting CVD28GVRD Datum. Documents shall be sealed and signed originals. (Refer to the BCLS Survey Requirements checklist included).</p>		<input type="checkbox"/>
2	<p>Architectural Plans</p> <ul style="list-style-type: none"> ○ Site Plan(s) (1/8" scale). ○ Floor plans, elevations, and cross sections (1/4" scale). ○ Construction assemblies, general notes, and sufficient details to demonstrate compliance with the current BC Building Code (BCBC) (E.g. Detail drawings of exterior and interior guards). ○ Height elevations must reference CVD28GVRD Datum. (Refer to the Architectural Plan Requirements checklist included). 		<input type="checkbox"/>
2	<p>Landscape Drawings</p> <ul style="list-style-type: none"> ○ Landscape drawings shall be consistent with the Development Permit application. 		<input type="checkbox"/>
2	<p>Structural Drawings</p> <ul style="list-style-type: none"> ○ Signed and sealed by a Professional Engineer, as defined by the current BCBC, along with the applicable Letters of Assurance. <i>(Note: The specific requirements for Lateral Bracing shall be incorporated. Refer to the Seismic Design For Part 9 Buildings Single and Two Family Dwellings Lateral Bracing Requirements bulletin included).</i> ○ Design data for UEL: Vancouver (Granville & 41 Ave) as per BCBC 2012 Table C-2. 		<input type="checkbox"/>
2	<p>Building Envelope Plans and Details</p> <ul style="list-style-type: none"> ○ Signed and sealed by a Registered Professional, as defined by the current BCBC, along with the applicable Letters of Assurance. ○ Details are required showing the material specific to the project: type of insulation, cladding, rainscreen, etc. 		<input type="checkbox"/>
3	<p>Stormwater Management and Site Drainage Plan (SMP)</p> <ul style="list-style-type: none"> ○ A stormwater and site drainage layout plan in accordance with the prescriptive requirements of the UEL Stormwater Policy. (Refer to the On-site Stormwater Management policy included). ○ Layout plan to match the scale of the site plan. <i>(Note: The construction of a new single family dwelling may require the installation of new water, storm and sanitary services. The owner is responsible for the cost of the new services which are additional to the building permit fee).</i> 		<input type="checkbox"/>



LETTER OF AUTHORIZATION

I / We _____, the owner(s) of property
Print Name/Corporation

legally described as _____
Legal Description

at _____
Street Address

authorize _____
Print Name

To act as my/our agent for all purposes in relation to the application and issuance of the:

- Development Permit
Building Permit
Bylaw Amendment (Rezoning)

from the University Endowment Lands.

I/we acknowledge the authority of the agent to bind me/us in all matters related to the Application and work to be performed under the permit or permits.

The person signing the permit documents acknowledges that his or her signature is as agent for the owner and that he or she is authorized to bind the owner who will be deemed to know of and to understand the contents of the documents.

Where the owner or agent is a corporation, the individual signing must be authorized and delegated with "signing authority" for the corporation.

Signature of Owner/Authorized Signatory Print Name Date

Signature of Agent Print Name Date



LETTER OF CONFIRMATION

Date: _____

To: **The Manager**
University Endowment Lands
5495 Chancellor Boulevard
Vancouver, BC V6T 1E2

Re: _____
Civil Address

_____ **Legal Description**

The purpose of this notification is to confirm that the plans and specifications submitted for the Building Permit pursuant to Section 12 of the **Land Use, Building and Community Administration Bylaw** are consistent with the plans approved for Development Permit no. _____ and that there are no changes from those plans.

Signature of Registered Owner or Agent Print Name Date

PROJECT REGISTRY OF REGISTERED PROFESSIONALS (RPs)

Project Address:	Date:
Property Owner (or Authorized Agent):	

The **LETTERS OF ASSURANCE OF PROFESSIONAL DESIGN AND COMMITMENT FOR FIELD REVIEW** listed below have been submitted for this project. The University Endowment Lands (UEL) is relying on the **Registered Professional's** assurance that their area of responsibility complies with the current BC Building Code.

DISCIPLINE		OFFICE USE	
		B	C-B
ARCHITECTURAL			
STRUCTURAL			
BLDG ENVELOPE			
FIRE SUPPRESSION SYSTEMS			
PLUMBING (Stormwater Mgmt Plan)			
GEOTECH (Temporary)			
GEOTECH (Permanent)			
Other			

It is your responsibility to notify the Building Inspector of any additional Registered Professionals that have been retained for the project or of the date any of these **Registered Professional(s)** cease to be retained by you. If any **Registered Professional** ceases to be retained at any time during construction, work on the above project shall stop until such time as:

- (a) a new **Registered Professional** is retained, and
- (b) a new **LETTER OF ASSURANCE OF PROFESSIONAL DESIGN AND COMMITMENT FOR FIELD REVIEW** is filed with the **University Endowment Lands**.

This form must be completed and signed by the applicant and submitted at the time of Building Permit application.

Applicant of above property - Signature



PLUMBING FIXTURE COUNT FOR PERMIT FEE CALCULATION

Project Address: Postal Code: Lot: Block: District Lot: Plan No.: Roll No.: Registered Owner(s) of the Property Name: Phone: Fax: Address: Contractor Name: Phone: Fax: Address: Building Use: District Zone:

Fixtures

Table with 12 columns: Floor, Water Closet, Wash Basin, Bath Tub, Shower, Sinks, Automatic Washer, Wash Tubs, Dish Washer, Floor Drain, Roof Drain, Other Fixtures. Rows include Basement, First, Second, Third, Fourth, Fifth, Sixth, Roof, and Total.

Other Plumbing Work:

Three horizontal lines for additional information.

HAZARDOUS MATERIALS REPORTING

Purpose:

The purpose of this bulletin is to inform owners, design professionals and contractors of the WorkSafeBC requirements for hazardous material reporting in accordance with Occupational Health and Safety (OHS) Regulation **20.112** of the OHS Regulation. For the actual regulations, go to:

<http://www2.worksafebc.com/publications/OHSRegulation/Part20.asp#SectionNumber:20.112>

Background:

WorkSafeBC requires a survey for hazardous materials be completed before any demolition work begins, including demolition as part of a renovation. A copy of this survey must be submitted to the University Endowment Lands (UEL) prior to the issuance of a demolition of a building or part of a building.

For renovation work, a UEL Inspector may ask that the Hazardous Materials Survey be produced. If it cannot be produced, the Inspector may stop the inspection to ensure his/her safety and the safety of those around.

Hazardous materials include asbestos, drywall, the contents in aboveground and underground storage tanks, PCBs, abandoned chemicals and others. All hazardous materials **must** be identified, removed and recycled or disposed of prior to demolition of the building in accordance with all relevant regulations. The survey to identify these materials must be completed by a qualified person as defined in the OHS regulation.

Note: Depending on the nature and scope of the hazardous materials, a building permit may be required for this pre-demolition work.

Documentation that provides evidence these materials have been identified, removed and disposed of properly is required to be kept for a six month period and produced upon request. This documentation may include, but is not limited to, surveys, clearance letters, receipts and waste manifests. Information provided by the survey will be placed in the UEL's files and will be subject to the Freedom of Information and Protection of Privacy Act.

Failure to remove hazardous materials or provide documentation upon request may result in a STOP WORK ORDER or further action taken by the UEL and/or WorkSafe BC.

If you have any questions, please contact the Building Department at 604-660-1808 or WorkSafeBC at 604-276-3100.

2012 BC BUILDING CODE PART 9.36 – ENERGY EFFICIENCY BUILDING PERMIT SUBMISSION REQUIREMENTS

Purpose:

The following requirements apply to all Building Permits submissions on or after December 20, 2014. Proof of compliance with 9.36 shall conform to the following:

9.36 Energy Efficiency Compliance Paths

Building Permit submissions must demonstrate compliance with one of the following methods. The drawings must clearly indicate which path has been chosen and how compliance has been achieved.

A. COMPLIANCE PATHWAYS (Choose one):

1. Prescriptive: 9.36.2 – 9.36.4 (Complete Section B)
2. Prescriptive & Trade-offs: 9.36.2 to 9.36.4 (Complete Sections B & C)
3. Performance: 9.36.5 (Complete Sections B & D)
4. NECB 2011 (Complete Sections B & D)

B. DRAWING SUBMISSION REQUIREMENTS:

All Compliance Pathways:

- Envelope section drawing(s) that indicate:
 - The *Effective Thermal Resistance (RSI)* values for assemblies for all Exterior Opaque Building Assemblies.
 - Calculations showing how the minimums have been met or exceeded as found in Tables 9.36.2.6.A./ B. and Table 9.36.2.8.A./B.
- Window section drawing(s) that indicate:
 - The *Overall Thermal Transmittance (U-Value)* for all Fenestration, Doors and Skylights.
 - Indicate if values “Meet”, “Do not meet” or “Exceed the minimum prescriptive” of Tables 9.36.2.7. A. /B. /C.
- Drawing(s) that indicate:
 - The *Performance Rating and Energy Source* for all Space-heating, Space-cooling and Service Hot Water Systems. Prescriptive requirements are found in Table 9.36.3.10 and Table 9.36.4.2.

Pathway 3 (Performance):

- Drawing(s) that indicate the corresponding areas (in m²) of each wall, window and door Assembly Type, the Solar Heat Gain Coefficient (SHGC) of each window and the ratio of total vertical fenestration and door area to gross wall area.

Pathway 4 (NECB-2011):

- For applications following the **prescriptive/trade-off paths** for NECB 2011, provide a summary comparing the Code required insulation/thermal transmittance values with the proposed assemblies for all building envelope components;
- For application following the **performance/energy modelling path** for NECB 2011, submit the energy model summary. The summary must indicate the input and output values; and
- The above summaries must be signed and sealed by a **Registered Professional**.

C. PRESCRIPTIVE & SIMPLE TRADE-OFF

- 9.36.2.11 Compliance: 9.36 Trade-off completed and attached (see example below)
 NECB-2011 Compliance NECB-2011 Trade-off documentation attached

ABOVE-GROUND – WALLS & JOIST TYPE ROOFS		REFERENCE VALUES		PROPOSED VALUES		
Assembly name	A (Area in m ²)	R _R (Effective RSI)	A ÷ R _R	R _P (Effective RSI)	A ÷ R _P	
1	Attic – R1	200	6.91	28.94	9.23	21.67
2	Exterior Wall – W1	40	2.78	14.39	1.70	23.53
3						
DOES TRADE-OFF COMPLY?		No	TOTAL	43.33	TOTAL	* 45.20

* This value must be equal to or lesser than Reference Value in order to comply.

OTHER ABOVE-GROUND OPAQUE ASSEMBLIES		REFERENCE VALUES		PROPOSED VALUES		
Assembly name	A (Area in m ²)	R _R (Effective RSI)	A ÷ R _R	R _P (Effective RSI)	A ÷ R _P	
1	Attic – R1	200	6.91	28.94	9.23	21.67
2	Exterior Wall – W1	40	2.78	14.39	2.4	16.67
3						
DOES TRADE-OFF COMPLY?		Yes	TOTAL	43.33	TOTAL	* 38.34

* This value must be equal to or lesser than Reference Value in order to comply.

D. PERFORMANCE MODELLING

- 9.36.5 Compliance: House Performance Report Attached
 NECB-2011 2.2.2.8 Compliance: NECB-2011 Modelling Report Attached

For both paths above, submit an energy model summary indicating the energy input and output values and (the summary must be signed by a *Registered Professional*).

E. APPLICANT'S CONFIRMATION OF COMPLIANCE PATHWAY

I, the undersigned, has produced and/or reviewed the above-mentioned project with the Compliance Pathway indicated in the Project Details, created based on the project's design as provided by the Designer of Record. The undersigned has verified that the project complies with the Compliance Pathway, as detailed in Section 9.36 of the 2012 BC Building Code.

Signature: _____
 Name (print): _____ Date signed: _____
 Phone #: _____ E-mail: _____
 Company name: _____
 Company address: _____

For more information on the new energy efficiency requirements of 9.36, see the following link:
www.housing.gov.bc.ca/building/green/energy/index.htm

BCLS SURVEY REQUIREMENTS

Two (2) copies of the original survey plans signed and sealed by a BC Land Surveyor must be submitted for all development permit and building permit applications.

A list of survey control monument locations and their respective geodetic elevation values are available of the University Endowment Lands (UEL) office.

The following information must be shown on the survey plan:

- CVD28GVRD Datum** is referenced;
- Civic address of the subject property;
- PID and legal description of the subject property;
- Verification of lot size and dimensions;
- Existing grades at all corners of the property;
- General topography of the property with sufficient grades throughout the site;
- Existing grades of adjacent property(ies) at regular intervals, approximately 10 feet into the neighbouring sites;
- Finished grades of all the existing buildings shown at all the corners;
- Roof and floor elevations of existing principal building;
- Location of all existing buildings. Indicate where building setbacks are taken from (i.e., foundation wall, exterior siding, etc.);
- Location and roof elevations of adjacent houses;
- Location of lanes, easements, and rights-of-way;
- Location of existing driveways and width at property line;
- Location of boulevard trees, fire hydrants, water meters, streetlights, etc.;
- Location of any existing significant landscaping (large trees, hedges, etc.) as reference for new landscape designs;
- Existing and proposed grades at top and bottom of retaining walls; and
- Outline of proposed buildings plotted on the survey plan with finished and natural grades shown at the building corners.

ARCHITECTURAL PLAN REQUIREMENTS FOR BUILDING PERMIT SUBMISSION

The applicant must submit 2 complete sets of architectural plans as part of the building permit application. Incomplete submissions or those with insufficient detail will not be accepted.

Note: Additions, alterations and accessory buildings may require less detail and information. However, all pertinent information to the construction of such will be required on the BP plans.

Building Permit Applications must comply with and reference the current BC Building Code. Include each of the following items and check each box for completion of the item.

1. Survey (1/8" = 1'-0")

- 2 sealed originals are required

2. Site Plan (1/8" = 1'-0")

- Designer's name, address and contact information
- North arrow, civic address, legal description, streets and lanes
- Covenants, easements and rights-of-way
- Building Code reference
- Zoning summary and floor areas calculations
- Proposed building and accessory building outline. Outermost walls, including the basements or upper floor overhangs, are to be included
- Existing and finished grade elevations at each building corner
- Dimension setbacks perpendicular from all property lines to the building(s)
- Proposed driveway location, access width, slope and area
- All cantilevers and overhangs (including roof overhangs) are to be shown and dimensioned
- All retaining walls are to be shown on the site plan specifying top and bottom elevations
- Dimension the setbacks from the property lines and adjacent retaining walls

3. Floor Plans (1/4" = 1'-0")

- Overall building depths and widths of all buildings
- Fully dimensioned, room use and sizes
- Windows, doors and skylights including the sizes and swings
- Plumbing fixtures, appliances and fireplaces
- Type of heating system
- Location of smoke alarm and carbon monoxide detectors

Continued.....

4. Elevations (1/4"=1'-0")

- All four elevations for house and accessory building
- Show elevations of all finished floors, top plates, parapet walls and roof peaks
- Specify the existing and finished grades at building corners
- Show spatial separation calculations: limiting distance, exposed building face, allowable unprotected and proposed openings
- Specify roof slopes

5. Cross Sections (1/4" = 1'-0")

- Floor to ceiling dimensions including crawl and roof spaces
- Label all roof, floor, wall and foundation assemblies
(Note: Assemblies must show the materials that are specific to the project applied for and materials must be consistent with the details provided by the Bldg Envelope professional)
- Elevations at each finished floor, uppermost ceiling and roof peak
- Cross section through stairs to floor above indicating headroom clearance above stairways
- Provide roof and deck venting information where applicable
- Provide a detail for roof decks over habitable spaces
- Dimension and label any crawl spaces

6. Details (appropriate scale)

- General notes
- Exterior/ interior guards and handrail details and dimensions
- Straight stairs – Stair rise, run, treads
- Curved stairs – minimum/ maximum and average runs and radius

SEISMIC DESIGN FOR PART 9 BUILDINGS SINGLE AND TWO FAMILY DWELLINGS LATERAL BRACING REQUIREMENTS

Page 1 of 3

The purpose of this bulletin is to inform owners, architects, designers, and contractors of the structural design requirements to resist lateral loads due to wind and earthquake occurrences for Part 9 buildings (single and two family dwellings). The lateral bracing requirements are illustrated in the free 28-page resource, *Illustrated Guide for Seismic Design of Houses* located at www.hpo.bc.ca/seismic-design-guide.

Effective immediately, plans forming part of building permit application must clearly show how the proposed building complies with the new requirements for lateral bracing. The design criteria for the braced wall bands and panels must be shown on the structural engineered set of the building permit plans. Applications will not be accepted if the following information is not shown on the plans.

Information on Structural Drawings

The 2012 BCBC requires all Part 9 buildings, including single and two family dwellings, to be designed to resist lateral loads due to wind and earthquake occurrence using ONE of the following methods:

- A. **Part 9** Article 9.23.13.4. to 9.23.13.7. of the 2012 BC Building Code,
- B. **Part 4** of the BC Building Code, *or*
- C. Good engineering practice such as that provided in CWC 2009, "Engineering Guide for Wood Frame Construction" (**Part B** *or* **Part C**).

Mixing and matching of these three methods is not acceptable.

Structural Design using Part 4 of the BCBC or Part B or C of the CWC must be done by a Registered Professional Engineer.

To demonstrate code compliance the structural engineer must declare which option is being used for the design of the lateral loads using the following statement (if CWC 2009 is used, state whether Part B or Part C is being used):

"I, _____, have reviewed and confirmed that the lateral resistance of this building for wind and earthquake is designed in accordance with _____."

General Structural Notes must specify the requirements of the 2012 BCBC applicable to the design, including but not limited to:

- The seismic region where the proposed construction is located (see Table C-2 in Division B Appendix C of the BCBC). For the University Endowment Lands use:

Vancouver (Granville and 41st Ave).

- Whether it is light construction or heavy construction (buildings with tile roofs or concrete topping on floors) (see 9.23.13.2. and 9.23.13.3. of the BCBC).
- Climatic loads, such as snow (S), rain (Sr), wind (q) and seismic (Sa).
- Live loads of all floors.
- Dead loads of exterior walls, floors and roofs. Indicate if roof tile, concrete topping and/or stone cladding are used.
- Specification and standards for sheathing, lumber, fasteners, steel connectors, hold-downs, anchor bolts, etc.
- Assumed soil bearing capacity.

If Part 9 of the 2012 BCBC or Part C of CWC 2009 is used to design for lateral loads, then the following information must be shown of the structural drawings:

- Braced wall panels must be hatched and labelled BW.
- Details of braced wall panels including type of sheathing, fastener size and spacing of nails.
- Percentage (%) of braced wall panels in each braced wall band at each floor level.
- Anchorage of braced wall panels including material, size, spacing (braced wall bands must be aligned with bands on the storeys below and above and be a full storey in height).

Note any exceptions or trade-offs used in the design complete with dimensions. See 9.23.13.5.(3), 9.23.13.5.(4), 9.23.13.5.(5) and 9.23.13.7. for options.

If Part 4 of 2012 BCBC & Part B of CWC 2009 is used to design for lateral loads, then the following information must be shown of the structural drawings:

- Site Classification.
- Acceleration-based site coefficient (Fa).
- Rd and Ro.
- Building Base Shear.
- Total factored shearwall shear force in each direction at each storey.
- Strength of shearwall and total length of shearwalls required in each direction at each storey.
- All shearwalls (those used to resist lateral forces and may include exterior walls) must be hatched and labelled "SW".
- All drag struts must be shown as dotted lines.
- Shearwall details including framing, type of sheathing, nailing size and spacing, blocking.
- Details of all elements participating in the load path including drag struts, hold-downs, straps, etc. to show how forces are transferred from roof to foundation.

Quality of Structural Drawings

Structural drawings must comply with the following requirements:

- All structural notations must be legible and of good drafting quality. Hand written notations will not be accepted.
- Structural drawings may need to be separate from the architectural drawings if the combined structural and architectural drawings are not legible.
- All notes and details must be on the structural drawings. Notes and details on separate sheets (of different sizes) attached to the structural drawings will not be accepted.
- If revisions are needed, two complete sets of revised drawings (signed, sealed and dated) by the structural engineer are required. At the discretion of the plan checkers, minor revisions may be done by hand by the structural engineer with their initials on the original submitted drawings. "Cut and paste" sheets will not be accepted.

Good Engineering Practice

The Building Department may request the professional engineers to submit Structural Design Calculations and/or confirmation of independent review as outlined in the *Quality Management Guidelines* published by Association of Professional Engineers and Geoscientists of BC (APEGBC) to ensure the design is in compliance with the current BC Building Code.

The APEGBC requires all professional engineers to design in accordance with good engineering practice. In terms of Part 9 buildings, including single family dwellings, this means using the latest CWC as a minimum. Further information can be obtained from the *Guidelines for Professional Structural Engineering Services for Part 9 Buildings in British Columbia* published by APEGBC.

Field Reviews by the Structural Engineer of Record

The Structural Engineer of Record must submit a field memo at the sheathing inspection, the framing inspection and the insulation inspection (if applicable) to confirm that the construction, including braced walls and shearwalls, at that stage are constructed according to the drawings submitted for building permit and are in general compliance with the BC Building Code.

Further Information

The *Illustrated Guide for Seismic Design for Houses* provides explanatory material, colour illustrations and checklists for designers and other professionals to assist in applying the requirements to their design and plans.

Renovations and Additions

All renovations and additions should be designed to the current 2012 BCBC, including the lateral resistant to wind and earthquake loads. When an existing home is going through a major renovation or addition, a Registered Professional Engineer should be engaged to confirm that the addition or renovation does not reduce the level of structural performance of the existing structure below the level that existed prior to the level of the addition or renovation. (Refer to the "Guidelines of Professional Structural Engineering Services for part 9 buildings in British Columbia" published by APEGBC.)

This information is provided for convenience only and is not in substitution of applicable UEL Bylaws or Provincial or Federal Codes or laws. You must satisfy yourself that any existing or proposed construction or other works comply with such bylaws, codes and other laws.

ON-SITE STORMWATER MANAGEMENT POLICY SINGLE FAMILY LOTS

Purpose:

The purpose of this bulletin is to inform owners, builders and professional engineers of the University Endowment Lands (UEL) requirements pertaining to the UEL Stormwater Management policy.

Background:

The UEL stormwater management policy applies to all single family lots at the time of redevelopment, including renovations and additions. A Registered Professional Engineer must be retained to design and assure that the installation of on-site stormwater management systems in accordance with this policy. Plans and supporting documents of the design shall be submitted to the UEL for approval at the Building Permit application stage.

Application:

The following stormwater release rate applies to individual lots:

A Maximum Stormwater release rate of 3 L/s in a 1:5 year peak storm event.

In all cases the UEL will provide no greater than one 4 inch storm service connection to the property.

A number of methods may be used to comply with the above requirements, including infiltration and detention. Refer to the Metro Vancouver Stormwater Source Control Design Guidelines 2005 for recommended methods and practices at:

<http://waterbucket.ca/rm/2011/06/21/metro-vancouver-develops-design-guidelines-to-complement-water-balance-model/>

MECHANICAL UNITS LOCATION AND NOISE LEVELS

The purpose of this bulletin is to define the allowable location and noise levels of mechanical units such as air conditioning units, exhaust fans, heat pumps, generators, etc.

The noise emitted from these units often violates the noise bylaw and staff are receiving an increasing number of complaints from residents concerning this noise.

The *Land Use, Building and Community Administration Bylaw* (the Bylaw) defines a structure as “any residence, building, fence, machinery, equipment, ornaments, or other man-made or manufactured items”.

As mechanical units fall under this definition, there is no provision in the Bylaw for these units to be permitted in required yards unless they are enclosed in an accessory building in compliance with the Bylaw.

Please note that **in all cases it is the property owner’s responsibility** to ensure that the noise emitted from the mechanical unit complies with the Noise Control Bylaw, Schedule 6 of the Bylaw, and does not unreasonably disturb “the quiet, peace, rest, enjoyment, comfort or convenience of persons in the neighbourhood or vicinity”.

If a mechanical unit is found to be unreasonably disturbing a neighbouring resident, the property owner must then take the necessary steps to bring the noise level into compliance with the Bylaw.

In effort to avoid complaints after these units are installed, the University Endowment Lands (UEL) Building Department is asking architects, designers and building contractors to address this issue at the early stages of design and construction as it can be difficult to remedy this problem after these units are in place.

HEATING SYSTEM REQUIREMENTS

The purpose of this bulletin is to inform building permit applicants, building and heating contractors of the certification requirements for heating systems when applying for a building permit for single family dwellings, duplexes, row houses and townhouses.

The design, installation, certification and required documentation for heating systems must be in accordance with and meet the criteria detailed in the table below. All plans and documents are to be sealed by the appropriate individuals and submitted for review prior to commencement of work.

System Type	Design Criteria	Required Documents	Required Certification *
Hydronic (Hot Water)	<ul style="list-style-type: none"> CSA B214-01 Installation Code for hydronic heating system Good engineering practices 	<ul style="list-style-type: none"> Room by room heat loss summary Radiant panel layout, baseboard lengths (<i>where applicable</i>) Boiler room layout 	<ul style="list-style-type: none"> TECA Certified Designer or Registered Professional (<i>supply Letters of Assurance</i>)
Forced Air	<ul style="list-style-type: none"> HRAI Digest Quality First Forced Air Guidelines Good engineering practices 	<ul style="list-style-type: none"> Room by room heat loss summary Duct system design layout 	<ul style="list-style-type: none"> TECA Certified Designer or HRAI Certified Designer or Registered Professional (<i>supply Letters of Assurance</i>)
Geothermal (Ground Source)	<ul style="list-style-type: none"> Good engineering practices 	<ul style="list-style-type: none"> Room by room heat loss summary Piping layout, exterior and interior (<i>where applicable</i>) 	<ul style="list-style-type: none"> Registered Professional (<i>supply Letters of Assurance</i>)

* **Upon completion of installation**, submit a copy of the University Endowment Lands (UEL) Heating System Certification of Installation form.

SPRAY-IN-PLACE THERMAL INSULATION

The purpose of this bulletin is to inform owners, design professionals and contractors of the UEL requirements pertaining to the use of spray-in-place thermal insulation in wood-frame construction, namely in single family dwellings.

There are many products of this nature available in the marketplace, ranging from low density to medium density foam, each with a variety of chemical compositions and characteristics. The following requirements apply to the use of these materials in the UEL.

Spray Applied Rigid Polyurethane Foam

(Medium density in conformance with CAN/ULC-S705.1)

This type (as referenced in Section 9.25.2.2 of the 2012 BC Building Code) is permitted outright. Submit the following supporting documentation:

- Proof that the product is in conformance with the CAN-ULC standard.
- Copy of the Licensed Installer's certification.

Medium Density Foam Products

(Other than those in conformance with CAN/ULC-S705.1)

Products of this type that have been tested by the Canadian Construction Materials Centre (CCMC) will be accepted. Submit the following supporting documentation:

- The CCMC evaluation report confirming that the thermal resistance performance is equivalent to that required in Article 9.25.2.1 of the BC Building Code.
- Copy of the Licensed Installer's certification.

Other Spray-in-Place Products

Other spray-in-place products may be accepted on the basis of the Alternative Solution provisions of the BC Building Code (BCBC). Submissions for alternative solutions must provide the following:

- Documentation of Alternative Solutions in accordance with Division C – Part 2 – Subsection 2.3.1 of the 2012 BC Building Code.
- Letters of Assurance (BCBC) from a BC Registered Professional.
- Copy of the Licensed Installer's certification.

The installation of spray-in-place foam insulation must also comply with other BC Building Code requirements pertaining to wall and roof construction unless otherwise approved as an Alternative Solution (i.e. vapour barrier and venting).

The information of the specific type of insulation to be used must be on the building permit plans.

Note: All required documentation must be submitted to the UEL Building Department prior to the installation of the insulation/vapour barrier inspection.

DRIVEWAYS ON PUBLIC PROPERTY FOR SINGLE FAMILY DWELLING UNITS

The purpose of this policy is to define the location, design and number of driveway entrances permitted in the Single Family District within the University Endowment Lands (UEL).

The UEL frequently receives requests for new driveway entrances across public property. It is the intent of this policy to ensure that, as the community redevelops, the existing streetscapes across public property are maintained.

New driveway entrances within the UEL shall be constructed to maintain consistency with the existing entrances in the area. The original driveway entrances were constructed and spaced with the intent of maintaining as much green space as possible.



The following requirements must be met before approval of any new driveway entrances across public property:

1. New driveway entrances shall be constructed at right angles to the street and the curb radius must be consistent with others in the area. No portion of the curb radius shall occur beyond the projected property lines of adjacent sites. Refer to the Driveways on Public Property policy for specifications.
2. The maximum width of a driveway entrance is 14 feet.
3. Sidewalk grades and grades along the property line must be maintained and any adjustments to the driveway grade must take place on private property.
4. Driveway entrance material shall be blacktop or removable pavers.
5. Properties with a frontage of less than 125 feet are permitted only one driveway entrance. No more than two driveway entrances are permitted for any property within the UEL Single Family District.
6. New driveways in Area C must be accessed from the lanes.
7. Curbs must have a trowelled finish and sidewalks must have a broom finish.
8. Trees, lamp standards and fire hydrants will not be moved to accommodate new driveway entrances.
9. Where lane access is available driveways will not be permitted to access the front street.
10. The Superintendent of Public Works will determine if the construction of the driveway shall be carried out by UEL staff or a private contractor. A private contractor must request a form inspection prior to placement of concrete or asphalt.

Where a driveway provides access to Chancellor Boulevard or University Boulevard, exceptions may be made to the above requirements to permit safe entrance and egress. In such cases, approval from the University Endowment Lands and the Ministry of Transportation and Highways must be granted.

Specification drawings for driveway entrances form part of this policy.


DRIVEWAYS ON PUBLIC PROPERTY SPECIFICATIONS FOR SINGLE FAMILY DWELLING UNITS



SITE RULES SIGN

The "SITE RULES" sign shown below must be posted on site before a Building Permit can be issued. The sign must be black lettering on a white background and durable enough to last the duration of the project.

4 Ft



	TEXT SIZE
SITE RULES	↕ 2½"
UNIVERSITY ENDOWMENT LANDS	↕ 1½"
PROJECT ADDRESS: _____	
HOURS OF WORK	
Monday to Friday: 7:30 A.M. - 7:00 P.M.	↕ 1"
Saturday: 9:00 A.M. - 4:00 P.M.	
Sundays and Statutory Holidays – No Work	
SITE CLEAN UP	
Site must be kept clean at all times. Deposit paper, food scraps, cans, construction waste and other garbage in proper receptacles. Municipal street, sidewalk and boulevards must be kept clean at all times.	
RADIOS	
Radio volume must be kept low enough so that it is not annoying to the surrounding community.	
MATERIAL DELIVERY	
Material shall be delivered during regular working hours.	
MATERIAL HOARDING	
Construction material shall be kept on site and not stored on the sidewalk, boulevard or street.	
PARKING	
Parking must comply with UEL parking regulations. Do not block or crowd driveways.	
In case of problems, please contact the site superintendent.	
NAME: _____	
PHONE: _____	

4 Ft



DEVELOPMENT/ BUILDING PERMIT APPROVALS AND PROPERTIES FOR SALE

This policy is being introduced to address the practice of marketing for sale, properties within the single family zones of the UEL, that are in the process of the development and/or building permit approval process.

Processing of development and building permits is a complex and time consuming procedure that takes up a large amount of staff time and resources. The practice of marketing properties for sale during the DP or BP approval process creates a great deal of uncertainty as to whether the proposed development will be accepted by a new owner. Therefore, the following policy is in effect to address this matter:

Processing of development and building permit applications for single family homes that are listed for sale, will be suspended until such time as the property has been transferred or removed from the market.

In the case of a property transfer, in order to reactivate the file, the following documents must be submitted to the University Endowment Lands (UEL) Administration Office:

- Proof of ownership; provide a copy of a Certificate of Title from the Land Title and Survey Authority (LTSA), and photo identification of the new owner.
- From the new owner, a request in writing to transfer the DP or BP application into their name(s). The request shall explicitly acknowledge that the new owner accepts the DP or BP application as it is and clearly state that no amendments will be forthcoming for the development or building permit application under review.

Important Notes:

- *Any changes to the proposed development will result in the cancellation of the application.*
- *A Development Permit issued shall be void 6 months after the date of issuance, unless the development authorized by the permit has meanwhile been commenced, or the Development Permit has been extended, or a building permit for the development has been issued and is unexpired.*

University Endowment Lands
Administration